



# DRAINAGE TECHNOLOGY

**Drains for bathtubs and shower trays**



Supplies, drains and overflows made of polypropylene (PP) and accessories for bathtubs and shower trays. Various mechanical and electronic equipment versions.

#### **Multiplex Trio**

Drain and overflow for bathtubs, with water supply through the overflow unit, drain hole Ø 52 mm, for use with pipe interrupter, rotatable rosette or motor-operated.

#### **Rotaplex Trio**

Drain and overflow for bathtubs, with water supply through the overflow unit, drain hole Ø 90 mm, for use with pipe interrupter, rotatable rosette or motor-operated.

#### **Multiplex Trio F**

Drain and overflow for bathtubs, with water supply through the drain unit, drain hole Ø 52 mm, for use with pipe interrupter, rotatable rosette or motor-operated.

#### **Rotaplex Trio F**

Drain and overflow for bathtubs, with water supply through the drain unit, drain hole Ø 90 mm, for use with pipe interrupter, rotatable rosette or motor-operated.

#### **Multiplex**

Drain and overflow for bathtubs, drain hole Ø 52 mm, rotatable rosette operation.

#### **Rotaplex**

Drain and overflow for bathtubs, drain hole Ø 90 mm, rotatable rosette operation.

#### **Citaplex**

Drain and overflow for bathtubs, drain hole Ø 52 mm, closure with valve plug.

#### **Domoplex**

Drain for shower trays, drain hole Ø 52 mm, with removable odour trap.

#### **Tempoplex**

Drain for shower trays, drain hole Ø 90 mm, installation depth 60 or 80 mm, with removable odour trap.

#### **Tempoplex Plus**

Drain for shower trays, drain hole Ø 90 mm, installation depth 90 mm, with especially high drainage capacity, with removable odour trap.

#### **Duoplex**

Drain for shower trays, drain hole Ø 52 mm, with cover cap standpipe, with removable odour trap.

#### **Simplex**

Drain and overflow for bathtubs, drain hole Ø 52 mm, rotatable rosette operation.

#### **Note**

Use of the products for areas of application and media other than those described must be agreed in consultation with Viega! Plastic products made from PP (polypropylene) are environmentally compatible and offer the best properties for domestic wastewater. Hot water heated only briefly to max. 95 °C may be discharged via the odour traps! Do not use chemical cleaning agents to remove pipe blockages! Use only mild cleaning agents for the surfaces! Detailed information about applications, restrictions and national standards and directives can be found in the product information, either printed or on the Viega website.

#### **Subject to change without prior notice!**

Latest Z- and installation dimensions as well as further technical information can be found on the Viega website and have to be checked before purchase, planning, construction work and use. Our products are continuously optimised.

This product description contains important information on choice of product and system, mounting, commissioning as well as intended use and, if required, on maintenance measures. This information on products, their features and application techniques is based on currently valid standards in Europe (e.g. EN) and/or in Germany (e.g. DIN/DVGW). Some passages in the text may refer to technical regulations in Europe/Germany. These should be considered as recommendations for other countries where no corresponding national requirements exist. The relevant national laws, standards, regulations, directives and other technical provisions take priority over the German/European directives specified in this product description: The information herein is not binding for other countries and regions and should be understood as recommendation.

## TABLE OF CONTENTS















Overview of equipment sets	4
Multiplex	5
Rotaplex	7
Multiplex Trio	8
Rotaplex Trio	11
Pipe interrupters	12
Simplex	13
Simplex Trio	14
Tempoplex	14
Tempoplex Plus	16
Domoplex	18
Accessories	18
Usage notes	20



### **GTIN-Code (Global Trade Item Number previously EAN-code)**

The GTIN number consists of the constant manufacturer number 4015211 and the six-digit article number, in this example 305 611. The exchange of the last six digits for the article number reveals the GTIN code.

## OVERVIEW OF EQUIPMENT SETS

Multiplex	Multiplex Trio
 <div data-bbox="384 510 447 564">+</div> <div data-bbox="481 272 607 397">  <p>6162.01</p> </div> <div data-bbox="481 480 607 605">  <p>6154.0</p> </div> <div data-bbox="438 666 627 856">  <p>6171.0</p> </div> <div data-bbox="132 802 191 863"> <p>6162.1 6163.1 6163.2</p> </div>	 <div data-bbox="900 510 963 564">+</div> <div data-bbox="1018 265 1131 408">  <p>6161.01</p> </div> <div data-bbox="1018 469 1131 612">  <p>6161.13</p> </div> <div data-bbox="960 666 1149 856">  <p>6170.0</p> </div> <div data-bbox="655 802 728 863"> <p>6161.52 6161.62 6161.72</p> </div>
Rotaplex	Rotaplex Trio
 <div data-bbox="384 1102 447 1155">+</div> <div data-bbox="514 964 602 1089">  <p>6142.01</p> </div> <div data-bbox="488 1161 614 1286">  <p>6156.0</p> </div> <div data-bbox="132 1275 204 1318"> <p>6142.32 6142.33</p> </div>	 <div data-bbox="900 1102 963 1155">+</div> <div data-bbox="1018 964 1131 1089">  <p>6141.01</p> </div> <div data-bbox="1018 1161 1131 1286">  <p>6141.02</p> </div> <div data-bbox="655 1275 728 1318"> <p>6141.62 6141.72</p> </div>

**MULTIPLEX**



**Multiplex Drain/overflow**

**Visign M5**

**flat version; only 33 mm space required behind the bathtub**

- plastic

**Components**

chrome-plated rotatable rosette, chrome-plated drain plug, odour trap, waste elbow 45°, chrome-plated valve

**Technical data**

water seal height 50 mm


drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

**Note**

See current overview for usage notes.

quality controlled in accordance with DIN EN 274



Model	DN	BWL	L	H	SB	BCC	B52	PU	Article	DG
6162.45	40/50	560	100–260	180–400	✓		✓	24	101 909	14
6163.45	40/50	725	130–370	180–430		✓	✓	10	138 561	14

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

B52 = for bathtub with Ø 52 drain hole



**Multiplex Drain/overflow**

**Visign M5**

**flat version; only 33 mm space required behind the bathtub**

- plastic


- without: odour trap

**Components**

chrome-plated rotatable rosette, chrome-plated drain plug, chrome-plated valve

**Note**

See current overview for usage notes.



Model	G	BWL	L	H	SB	BCC	B52	PU	Article	DG
6162	1 1/2	560	100–260	180–400	✓		✓	24	114 893	14
6163	1 1/2	725	130–370	180–430		✓	✓	10	152 079	14

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

B52 = for bathtub with Ø 52 drain hole





**Multiplex Drain/overflow functional unit**  
**flat version; only 33 mm space required behind the bathtub**

- plastic
- without: rotatable rosette, drain plug

**Components**

odour trap, waste elbow 45°, chrome-plated valve

**Technical data**

water seal height 50 mm


drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

**Note**

See current overview for usage notes.

quality controlled in accordance with DIN EN 274



Model	DN	BWL	L	H	SB	BCC	XLB	B52	PU	Article	DG
6162.1	40/50	560	100–260	180–400	✓			✓	24	103 071	14
6163.1	40/50	725	130–370	180–430		✓		✓	5	111 069	14
6163.2	40/50	1070	130–680	180–480			✓	✓	10	308 889	14

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

XLB = extra-long bathtub

B52 = for bathtub with Ø 52 drain hole



**Multiplex Equipment set**

**Visign M5**

- for drain/overflow functional unit

**Components**

rotatable rosette, drain plug

**Model 6162.01**

Version	PU	Article	DG
chrome-plated plastic	10	721 244	14
chrome matt plastic	1	735 906	15
stainless steel coloured brushed plastic	1	735 890	15
design white plastic	1	735 883	15
black matt plastic	1	806 118	15

DESIGN PLUS  
powered by IISH



**Multiplex Equipment set**

**Visign M3**

**Components**

rotatable rosette, drain plug

**Model 6154.0**



Version	PU	Article	DG
chrome-plated plastic	1	576 325	14
design white plastic	1	735 913	15



**Multiplex Equipment set**

**Visign M9**

**water level increase plus 5 cm**

- for drain/overflow functional unit

**Components**

overflow rosette, rotatable rosette, fixing flange, drain plug

**Note**

When mounting the fixing flange must be replaced!

**Model 6171.0**

Version	PU	Article	DG
chrome-plated plastic	1	724 597	14



**Multiplex Drain/overflow**

**Visign M9**

**water level increase plus 5 cm**

- plastic
- flat version; only 33 mm space required behind the bathtub, alternatively increase the water level

**Components**

overflow rosette, rotatable rosette, drain plug, odour trap, waste elbow 45°, chrome-plated valve

**Technical data**


water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

**Note**

See current overview for usage notes.



Model	DN	BWL	L	H	SB	BCC	XLB	B52	PU	Article	DG
6171.10	40/50	560	100–260	180–400	✓			✓	5	724 566	14
6171.11	40/50	725	130–370	180–430		✓		✓	10	733 582	14
6171.12	40/50	1070	100–680	180–480			✓	✓	10	733 599	14

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

XLB = extra-long bathtub

B52 = for bathtub with Ø 52 drain hole

**ROTAPLEX**



**Rotaplex Drain/overflow**

**functional unit**

**flat version; only 33 mm space required behind the bathtub**

- plastic
- without: rotatable rosette, cover cap

**Components**

odour trap, waste elbow 45°

**Technical data**

water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 1.25 l/s


Flush volume factory setting 0.63 l/s

**Note**

See current overview for usage notes.

quality controlled in accordance with DIN EN 274

**Model 6142.32**



DN	BWL	L	H	BCC	B90	PU	Article	DG
40/50	725	150–400	180–430	✓	✓	10	488 659	14

BWL = bowden wire length

BCC = bathtub central connection

B90 = for bathtub with Ø 90 drain hole



**Rotaplex Equipment set**

**Visign R5**

- for drain/overflow functional unit
- plastic

**Components**

rotatable rosette, cover cap

**Model 6142.01**

**DESIGN PLUS**  
powered by TSH

Version	PU	Article	DG
chrome-plated plastic	1	721 558	14



**Rotaplex Equipment set  
Visign R3  
Components**  
rotatable rosette, cover cap  
**Model 6156.0**



Version	PU	Article	DG
chrome-plated plastic	1	<b>586 508</b>	14

## MULTIPLEX TRIO




**Multiplex Trio Drain/overflow  
Visign MT5  
flat version; only 33 mm space required behind the bathtub**  
- for water supply through the overflow unit

**Components**  
chrome-plated rotatable rosette, chrome-plated drain plug, chrome-plated cover rosette, inlet flange, odour trap, waste elbow 45°, chrome-plated valve

**Technical data**  
water seal height 50 mm  
drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s  
Flush volume factory setting 0.63 l/s

**Note**  
See current overview for usage notes.  
quality controlled in accordance with DIN EN 274



Model	DN	BWL	L	H	SB	BCC	XLB	B52	PU	Article	DG
<b>6161.50</b>	40/50	560	100–260	180–400	✓			✓	1/5	<b>727 734</b>	10
<b>6161.60</b>	40/50	725	130–370	180–430		✓		✓	1	<b>727 741</b>	10
<b>6161.70</b>	40/50	1070	100–680	180–480			✓	✓	1	<b>727 758</b>	10

BWL = bowden wire length  
SB = standard bathtub  
BCC = bathtub central connection  
XLB = extra-long bathtub  
B52 = for bathtub with Ø 52 drain hole




**Multiplex Trio Drain/overflow  
functional unit  
flat version; only 33 mm space required behind the bathtub**  
- for water supply through the overflow unit  
- plastic  
- without: rotatable rosette, overflow rosette, drain plug

**Components**  
inlet flange, odour trap, waste elbow 45°, chrome-plated valve

**Technical data**  
water seal height 50 mm  
drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s  
Flush volume factory setting 0.63 l/s

**Note**  
See current overview for usage notes.  
in accordance with DIN EN 274



Model	DN	BWL	L	H	SB	BCC	XLB	PU	Article	DG
<b>6161.52</b>	40/50	560	100–260	180–400	✓			10	<b>725 778</b>	10
<b>6161.62</b>	40/50	725	130–370	180–430		✓		5	<b>727 970</b>	10
<b>6161.72</b>	40/50	1070	130–680	180–480			✓	10	<b>727 987</b>	10

BWL = bowden wire length  
SB = standard bathtub  
BCC = bathtub central connection  
XLB = extra-long bathtub





**Multiplex Trio Equipment set**  
**Visign MT5**  
 - for drain/overflow functional unit  
 - suitable for Multiplex Trio drain/overflow functional unit model 6161.52, 6161.62, 6161.72  
**Components**  
 rotatable rosette, overflow rosette, drain plug  
**Model 6161.01**

Version	PU	Article	DG
chrome-plated plastic	10	<b>725 785</b>	10
black matt plastic	1	<b>806 125</b>	15
chrome matt plastic	1	<b>732 486</b>	15
polished brass plastic	1	<b>732 493</b>	15
stainless steel coloured brushed plastic	1	<b>732 509</b>	15
design white plastic	1	<b>725 815</b>	15



**Multiplex Trio Equipment set**  
**Visign MT3**  
 - for drain/overflow functional unit  
 - suitable for Multiplex Trio drain/overflow functional unit model 6161.52, 6161.62, 6161.72  
**Components**  
 rotatable rosette, overflow rosette, drain plug  
**Model 6161.13**

Version	PU	Article	DG
chrome-plated plastic	1	<b>725 792</b>	10
design white plastic	1	<b>725 822</b>	15



**Multiplex Trio Equipment set**  
**Visign MT9**  
**water level increase plus 5 cm**  
 - for drain/overflow functional unit  
 - suitable for Multiplex Trio drain/overflow functional unit model 6161.52, 6161.62, 6161.72  
**Components**  
 overflow rosette, rotatable rosette, fixing flange, drain plug  
**Note**  
 When mounting the fixing flange must be replaced!  
**Model 6170.0**

Version	PU	Article	DG
chrome-plated plastic	1	<b>724 580</b>	10



### Multiplex Trio Drain/overflow

#### Visign MT9

#### water level increase plus 5 cm

- for water supply through the overflow unit

- plastic

- flat version; only 33 mm space required behind the bathtub, alternatively increase the water level

#### Components

overflow rosette, rotatable rosette, drain plug, odour trap, waste elbow 45°, chrome-plated valve

#### Technical data


water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

#### Note

See current overview for usage notes.



Model	DN	BWL	L	H	SB	BCC	XLB	B52	Version	PU	Article	DG
6170.10	40/50	560	100–260	180–400	✓			✓	chrome-plated	5	723 347	10
6170.10	40/50	560	100–260	180–400	✓			✓	stainless steel coloured/brushed	5	724 559 <sup>1</sup>	15
6170.11	40/50	725	130–370	180–430		✓		✓	chrome-plated	10	733 605	10
6170.12	40/50	1070	100–680	180–480			✓	✓	chrome-plated	1	733 612	10

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

XLB = extra-long bathtub

B52 = for bathtub with Ø 52 drain hole

<sup>1)</sup> Delivery time for customised range: 8 weeks plus shipping; non-returnable!



### Multiplex Trio Drain/overflow

#### Visign MT5

- for water supply through the overflow unit

- without: odour trap

#### Components

chrome-plated rotatable rosette, inlet flange, chrome-plated drain plug, chrome-plated valve


#### Model 6161.36

G	BWL	BCC	B52	PU	Article	DG
1½	725	✓	✓	10	727 963	10

BWL = bowden wire length

BCC = bathtub central connection

B52 = for bathtub with Ø 52 drain hole





**Multiplex Extension set**  
- for extension of the drain in  
bathtub with thick bottom  
**Model 6161.7**

H	PU	Article	DG
20	1	<b>122 201</b>	10



**Multiplex Trio F Drain/overflow**  
**flat version; only 33 mm space required behind the bathtub**  
- for water supply through the drain unit  
- plastic



**DESIGN PLUS**  
powered by **ISH**



reddot design award  
winner 2011

**Components**

rotatable rosette Visign M5, chrome-plated cover cap, inlet element, odour trap, waste elbow 45°, concealed pipe interrupter, DIN EN 1717 safety device DB, with rosette RU2, sealing collar

**Technical data**


water seal height 50 mm  
drainage capacity 300 mm (in accordance with EN 274) 0.85 l/s  
Flush volume factory setting 0.63 l/s

**Note**

See current overview for usage notes.  
quality controlled in accordance with DIN EN 274

Model	DN	BWL	L	H	SB	BCC	XLB	B52	PU	Article	DG
<b>6145.4</b>	40/50	560	100–260	180–350	✓			✓	1	<b>672 027</b>	10
<b>6145.5</b>	40/50	725	130–370	180–370		✓		✓	1	<b>675 462</b>	10
<b>6145.6</b>	40/50	1070	130–680	180–430			✓	✓	1	<b>675 479</b>	10

BWL = bowden wire length  
SB = standard bathtub  
BCC = bathtub central connection  
XLB = extra-long bathtub  
B52 = for bathtub with Ø 52 drain hole



**ROTAPLEX TRIO**



**Rotaplex Trio Drain/overflow**  
**functional unit**  
**flat version; only 33 mm space required behind the bathtub**  
- for water supply through the overflow unit  
- plastic  
- without: rotatable rosette, cover cap, overflow rosette

**Components**

inlet flange, odour trap, waste elbow 45°

**Technical data**

water seal height 50 mm  
drainage capacity 300 mm (in accordance with EN 274) 1.25 l/s  
Flush volume factory setting 0.63 l/s


**Note**

See current overview for usage notes.  
quality controlled in accordance with DIN EN 274

**Model 6141.62**

DN	BWL	L	H	BCC	B90	PU	Article	DG
40/50	725	150–400	180–430	✓	✓	10	<b>727 949</b>	10

BWL = bowden wire length  
BCC = bathtub central connection  
B90 = for bathtub with Ø 90 drain hole





### Rotaplex Trio Equipment set

#### Visign RT5

- for drain/overflow functional unit
- plastic

#### Components

rotatable rosette, overflow rosette, cover cap

#### Model 6141.01

Version	PU	Article	DG
chrome-plated plastic	1	732 530	10
stainless steel coloured brushed plastic	1	732 547	15
design white plastic	1	732 523	15



### Rotaplex Trio Equipment set

#### Visign RT3

- for drain/overflow functional unit
- plastic

#### Components

rotatable rosette, overflow rosette, cover cap

#### Model 6141.02

Version	PU	Article	DG
chrome-plated plastic	1	734 107	10

## PIPE INTERRUPTERS



### Concealed pipe interrupter

- for Multiplex Trio, Rotaplex Trio

- brass
- without: rosette

#### Components


concealed pipe interrupter,  
DIN EN 1717 safety device DB,  
sealing collar

#### Note

See connection screw fittings in  
accessories.

#### Model 6161.81

G	PU	Article	DG
3/4	1	274 528	10



### Rosette

#### Visign RU2

- suitable for concealed pipe interrupter model 6161.81
- plastic

#### Model 6161.89

Version	PU	Article	DG
chrome-plated plastic	5	490 690	10
design white plastic	1	800 369	15

# SIMPLEX




**Simplex Drain/overflow**  
**flat version; only 33 mm space required behind the bathtub**  
 - plastic  
 - without: odour trap

**Components**  
 flexible overflow pipe, chrome-plated rotatable rosette, chrome-plated drain plug, stainless steel valve

Model	G	BWL	SB	BCC	B52	PU	Article	DG
6168.2	1½	560	✓		✓	25	133 825	14
6168.21	1½	725		✓	✓	25	595 685	14

BWL = bowden wire length  
 SB = standard bathtub  
 BCC = bathtub central connection  
 B52 = for bathtub with Ø 52 drain hole




**Simplex Drain/overflow**  
**flat version; only 33 mm space required behind the bathtub**  
 - plastic  
**Components**  
 flexible overflow pipe, chrome-plated rotatable rosette, chrome-plated drain plug, odour trap, waste elbow 45°, stainless steel valve

**Technical data**  
 water seal height 50 mm  
 drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s  
 Flush volume factory setting 0.63 l/s

Model	DN	BWL	SB	BCC	B52	PU	Article	DG
6168.45	40/50	560	✓		✓	25	285 357	14
6168.46	40/50	725		✓	✓	25	595 678	14

BWL = bowden wire length  
 SB = standard bathtub  
 BCC = bathtub central connection  
 B52 = for bathtub with Ø 52 drain hole



**Drain plug**  
 - for Multiplex, Multiplex Trio, Simplex  
 - fig. 5  
**Model 6168-035**

Version	PU	Article	DG
chrome-plated	50	215 392	10



**Simplex**  
 - for series from 2009  
 - fig. 3  
**Model 6168.02**

Version	PU	Article	DG
chrome-plated	1	657 406	10

## SIMPLEX TRIO



### Simplex Trio Drain/overflow

#### Visign MT5

- for water supply through the overflow unit
- plastic

#### Components

flexible overflow pipe, chrome-plated rotatable rosette, chrome-plated drain plug, odour trap, waste elbow 45°, stainless steel valve

#### Technical data

water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.60 l/s


Model	DN	BWL	SB	BCC	B52	PU	Article	DG
6166.41	40/50	560	✓		✓	10	728 007	10
6166.42	40/50	725		✓	✓	10	728 014	10

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

B52 = for bathtub with Ø 52 drain hole



## TEMPOPLEX



### Tempoplex Drain

- plastic

#### Components

removable odour trap, waste elbow 45°, chrome-plated cover cap

#### Technical data

water seal height 50 mm

drainage capacity 15 mm (in

accordance with EN 274) 0.45 l/s


quality controlled in accordance with

DIN EN 274

Model 6956EX

Ø	DN	D90	PU	Article	DG
120	40/50	✓	10	364 786	90

D90 = for shower tray with Ø 90 drain hole



### Cover cap

- for functional unit, Tempoplex, Tempoplex Plus, Tempoplex 60 mm
- plastic


Model 6964.0



Ø	D90	Version	PU	Article	DG
115	✓	chrome-plated plastic	5	649 982	90
115	✓	black matt plastic	1	806 132	15

D90 = for shower tray with Ø 90 drain hole





### Tempoplex Drain

- plastic

#### Components

chrome-plated cover cap, removable odour trap, waste elbow 45°

#### Technical data

water seal height 50 mm


drainage capacity 15 mm (in accordance with EN 274) 0.64 l/s

quality controlled in accordance with DIN EN 274

#### Model 6961

Ø	H	DN	D90	PU	Article	DG
115	80	40/50	✓	1/10	<b>575 601</b>	90

D90 = for shower tray with Ø 90 drain hole



### Tempoplex Drain functional unit

- plastic

- without: cover cap

#### Components

removable odour trap, waste elbow 45°

#### Technical data

water seal height 50 mm


drainage capacity 15 mm (in accordance with EN 274) 0.64 l/s

quality controlled in accordance with DIN EN 274

#### Model 6961.1

DN	H	D90	PU	Article	DG
40/50	80	✓	1/10	<b>575 625</b>	90

D90 = for shower tray with Ø 90 drain hole



### Tempoplex Drain functional unit CH 60 mm

- plastic

- without: cover cap

#### Components

removable odour trap, waste elbow 45°

#### Technical data


water seal height 30 mm

drainage capacity 15 mm (in accordance with EN 274) 0.55 l/s

#### Model 6963.1

DN	H	D90	PU	Article	DG
40/50	60	✓	1/10	<b>634 117</b>	90

D90 = for shower tray with Ø 90 drain hole



### Tempoplex Drain

- plastic

#### Components

chrome-plated cover cap, removable odour trap, vertical drain pipe, minimum drill hole Ø 120 mm

#### Technical data

water seal height 50 mm


drainage capacity 15 mm (in accordance with EN 274) 0.62 l/s

quality controlled in accordance with DIN EN 274

#### Model 6965

Ø	H	DN	D90	PU	Article	DG
115	81	40/50	✓	1	<b>801 786</b>	90

D90 = for shower tray with Ø 90 drain hole



### Tempoplex Drain

#### functional unit

- plastic
- without: cover cap

#### Components

removable odour trap, vertical drain pipe, minimum drill hole Ø 120 mm

#### Technical data

water seal height 50 mm



drainage capacity 15 mm (in accordance with EN 274) 0.62 l/s

quality controlled in accordance with DIN EN 274

#### Model 6965.1

Ø	H	DN	D90	PU	Article	DG
115	81	40/50	✓	1	801 793	90

D90 = for shower tray with Ø 90 drain hole



### Tempoplex Drain

#### Components

chrome-plated cover cap, removable odour trap, screwable waste elbow 90°

#### Technical data

water seal height 50 mm



drainage capacity 15 mm (in accordance with EN 274) 0.64 l/s

quality controlled in accordance with DIN EN 274

#### Model 6961.5

H	DN	D90	PU	Article	DG
80	40	✓	1	793 609	90

D90 = for shower tray with Ø 90 drain hole



### Tempoplex Drain

#### functional unit

- plastic
- without: cover cap

#### Components

removable odour trap, screwable waste elbow 90°

#### Technical data

water seal height 50 mm

drainage capacity 15 mm (in accordance with EN 274) 0.64 l/s


quality controlled in accordance with DIN EN 274

#### Model 6961.9

DN	H	D90	PU	Article	DG
40	80	✓	1	793 593	90

D90 = for shower tray with Ø 90 drain hole

## TEMPOPLEX PLUS



### Tempoplex Plus Drain

#### high drainage capacity

- plastic

#### Components

chrome-plated cover cap, removable odour trap, height-adjustable horizontal drain pipe with ball joint

#### Technical data

water seal height 60 mm

drainage capacity 15 mm (in accordance with EN 274) 0.85 l/s

drainage capacity according to DIN EN 274

#### Model 6960

DN	Ø	H	D90	PU	Article	DG
50	115	90	✓	1	578 916	90

D90 = for shower tray with Ø 90 drain hole



### Tempoplex Plus Drain

#### functional unit

#### high drainage capacity

- without: cover cap

#### Components

removable odour trap, height-adjustable horizontal drain pipe with ball joint


#### Technical data

water seal height 60 mm

drainage capacity 15 mm (in accordance with EN 274) 0.85 l/s

drainage capacity according to DIN EN 274

#### Model 6960.1



DN	H	D90	PU	Article	DG
50	90	✓	10	<b>559 991</b>	90

D90 = for shower tray with Ø 90 drain hole



### Cover cap

- for functional unit, Tempoplex, Tempoplex Plus, Tempoplex 60 mm

- plastic

#### Model 6964.0



reddot design award  
winner 2009

Ø	D90	Version	PU	Article	DG
115	✓	chrome-plated plastic	5	<b>649 982</b>	90
115	✓	black matt plastic	1	<b>806 132</b>	15

D90 = for shower tray with Ø 90 drain hole



### Cover cap

- for functional unit, Tempoplex, Tempoplex Plus, Tempoplex 60 mm

- plastic

#### Model 6960.0

Ø	D90	Version	PU	Article	DG
112	✓	chrome-plated brass	1	<b>560 003<sup>1</sup></b>	90
112	✓	chrome matt plastic	1	<b>560 812</b>	15
112	✓	stainless steel coloured brushed plastic	1	<b>560 843</b>	15
112	✓	design white plastic	1	<b>560 805</b>	15

D90 = for shower tray with Ø 90 drain hole

<sup>1)</sup> brass cover cap



### Sieve insert

- for Tempoplex, Tempoplex Plus, Tempoplex 60 mm, series from 2006

- not suitable for Tempoplex drain model 6956EX

#### Model 6961.96

PU	Article	DG
1	<b>582 951</b>	90



### Locking screw set

- for Tempoplex, Domoplex

- stainless steel

#### Components

locking screws M5x30x9 mm

#### Note

Locking screws cannot be removed after mounting!

#### Model 6161.65

PU	Article	DG
1	<b>789 305</b>	90



### Sieve insert

- suitable for Tempoplex drain model 6965, Tempoplex drain functional unit model 6965.1

- plastic

#### Model 6965.90

PU	Article	DG
1	<b>801 809</b>	90

## DOMOPLEX



### Domoplex Drain

- plastic

#### Components


chrome-plated cover cap, removable odour trap, waste elbow 45°

#### Technical data

water seal height 50 mm

drainage capacity (in accordance with EN 274) 0.73 l/s

quality controlled in accordance with DIN EN 274



Model	Ø	H	DN	D52	D65	PU	Article	DG
6928	75	80	40/50	✓		10	126 582	90
6929	90	80	40/50		✓	10	208 615	90

D52 = for shower trays with Ø 52 drain hole

D65 = for shower trays with Ø 65 drain hole



### Domoplex Drain


#### Technical data

water seal height 50 mm

drainage capacity (in accordance with EN 274) 0.73 l/s

quality controlled in accordance with DIN EN 274

#### Model 6928EX



Ø	DN	D52	Version	PU	Article	DG
75	40/50	✓	chrome-plated	10	364 755	90

D52 = for shower trays with Ø 52 drain hole



### Locking screw set

- for Tempoplex, Domoplex

- stainless steel

#### Components

locking screws M5x30x9 mm

#### Note

Locking screws cannot be removed after mounting!

#### Model 6161.65

	PU	Article	DG
	1	789 305	90

## ACCESSORIES



### Drain pipe


- for connection to the wastewater system, plug-in connection to UK pipe connection (Inch)

- plastic

- adhesive

#### Model 4981.87

DN	internal-Ø	PU	Article	DG
40/50	43	1	794 897	90



**Clamping ring screw fitting**

- for third-party pipe
- not suitable for Sanfix Fosta pipe
- brass
- Viega plug-in seat

**Components**

nickel-plated union nut, polygon

**Model 1019**

d	s	PU	Article	DG
16	2	10	<b>356 682</b>	77



**Connection screw fitting**

- for copper pipe, steel pipe
- nickel-plated brass
- Viega plug-in seat

**Components**

polygon

**Model 94385.1**

d	G	PU	Article	DG
12	$\frac{3}{4}$	10	<b>112 608</b>	78
15	$\frac{3}{4}$	10	<b>105 358</b>	78



**Drain pipe**


- for connection to the wastewater system
- plastic
- non-adhesive

**Model 4981.86**


DN	PU	Article	DG
40/50	1	<b>794 521</b>	90

## USAGE NOTES


- A** 6145.4; 6161.50; 6161.51; 6161.52 + 6161.01/6161.13; 6162; 6162.1 + 6162.01/6154.0; 6162.175 + 6162.01/6154.0; 6161.221+6161.01/6161.13; 6162.45; 6162.875; 6166.41; 6168; 6168.2; 6168.7; 6168.45; 6170.10; 6171.10; 6176; 6176.24; 6176.241; 6176.45; 6177.45; 6178




- E** 6142.33 + 6142.01/6156.0; 6141.70; 6141.71; 6141.72 + 6141.01/6141.02; 6142.43




- B** 6145.5; 6145.51; 6148.1; 6161.36; 6161.60; 6161.61; 6161.62 + 6161.01/6161.13; 6161.321 + 6161.01/6161.13; 6161.61; 6161.63; 6163; 6163.1 + 6162.01/6154.0; 6163.45; 6163.875; 6166.42; 6168.21; 6168.46; 6170.11; 6171.11; 6175.1



- F** 6956EX; 6957; 6960; 6960.1 + 6960.0/6964.0; 6961; 6961.1 + 6960.0/6964.0; 6961.6; 6961.61 + 6960.0/6964.0; 6961.875; 6963; 6965; 6965.1; 6963; 6163.1 + 6960.0/6964.0; 6963.6




- C** 6145.6; 6161.70; 6161.71; 6161.72 + 6161.01/6161.13; 6163.2 + 6162.01/6154.0; 6170.12; 6171.12



- G** 6928; 6928.1 + 6928.0/6930.0; 6928.21 + 6928.0/6930.0; 6928.9; 6928.95; 6928.175 + 6928.0/6930.0; 6928.9; 6931.45; 6933.89; 6934; 6934.1 + 6934.0; 6955.7; 6977



- D** 6142.32 + 6142.01/6156.0; 6141.60; 6141.61; 6141.62 + 6141.01/6141.02; 6141.60; 6141.61; 6142.42; 6145.1; 6175.2



- H** 6929; 6929.1 + 6931.0; 6929.21 + 6931.0; 6929.29; 6929.95





**Bette:**


BetteArco  
 BetteBambino  
 BetteClassic  
 BetteComodo  
 BetteComodo, Overflow front/back  
 BetteDuett  
 Bette Duo  
 BetteEve  
 BetteEve Oval  
 Bette Form  
 BetteFree  
     1700x750, 1800x800  
 BetteFree  
     1900x900, 2000x1000  
 BetteLoft  
 BetteLuna  
 BetteLux  
 BetteLux Oval  
 BetteLux Oval Highline  
 BetteLux Oval Silhouette  
 BetteMetric  
 BetteOcean, Overflow front/back  
 BetteOcean, Low-Line  
 Overflow front/back  
 BetteOne  
 BetteOne Relax  
 BettePond  
 BettePool Oval  
 BettePool I, II, III  
 BettePool I, II, III, Panel  
 BetteSelect 3410-3413  
 BetteSelect, Overflow front/back  
     3420 – 3433  
 BetteSelect Duo  
 BetteSet  
 BetteSpace L, M, S  
 BetteStarlet  
 BetteStarlet I, II, III, IV, V  
 BetteStarlet Flair Oval  
 BetteStarlet Hexa  
 BetteStarlet Oval  
 BetteStarlet Octa  
 BetteStarlet Spirit  
 BetteStarlett I, IV, V Silhouette  
 BetteStarlet Hexagon  
 BetteStep  
 BetteSuno Silhouette  
 LaBette  
  
 BetteCorner  
 BetteCaro  
 BetteFlat  
 BetteFloor  
 BetteFloor Caro  
 BetteFloor Corner  
 BetteFloor Side  
 BetteSupra  
 BetteUltra  
 BetteQuinta  
 BetteDelta

**Duravit:**


Cape Cod 700362 – 700364  
 D-Code 700096, 700098, 700100  
 D-Code 700097, 700099, 700101,  
     700137, 700138  
 D-Neo 700471 – 700475, 700478,  
     700479  
 D-Neo 700476  
 DuraSquare 700426 – 700429

Duravit No1 700487 – 700491,  
     700499  
 Duravit No1 700492, 700504 – 700509  
 Happy D.2  
 Luv 700431 – 700433  
 Paiova  
 Qatego 700609 – 700613  
 Qatego 700614, 700615  
 Soleil by Starck 700499 – 700502  
 Soleil by Starck 700503  
 Starck 700050, 700333 – 700337  
 Starck 700009, 700010, 700052,  
     700338 – 341



D-Code  
 Starck  
 Tempano

**Duscholux:**


Ancona 110, 112  
 Ancona 242, 243, 2259, 2269  
 Ancona 118  
 Formia  
 Malaga  
 Piccolo 163 – 181  
 Prime-line  
  
 Ancona  
 Malaga

**GKI:**


FOX:  
 Rectangular bathtub 1700x750x420,  
     1800x800x460, 1900x900x460  
 Corner bathtub 1800x800x460  
 Oval bathtub 1850x900x460  
 Comfort bathtub 1800x800x460,  
     1900x900x460  
 Pre-wall bathtub 1800x800x460  
 MEMO:  
 Rectangular bathtub 1700x750-  
     800x450, 1800x800-900x450  
 Rectangular bathtub 1900x900x450,  
     1800x1400x500  
 Corner bathtub 1700x900/600x450  
 Corner bathtub 1750x1350/700x450  
 Oval bathtub 1800x800x450  
 Oval bathtub 1900x900x450  
 UNO:  
 Rectangular bathtub 1700x750-  
     800x480, 1800x800x480  
 Hexagon bathtub 2050x900x480  
 UNO by GKI:  
 Rectangular bathtub 1700x750x450  
 Rectangular bathtub 1700x800x480,  
     1800x800x480  
 Vario Corner bathtub 1400x1400x450  
 Hexagon bathtub 1900x900x450,  
     2050x900x480

**ZERO:**

Rectangular bathtub 1800x800-900x450  
 Oval bathtub 1800x800x450  
 Life:  
 Rectangular bathtub 1700x800x430,  
     1800x800x450  
  
 Memo:  
 Square/rectangle  
 MIGU-Soft:

Mineral casting shower tray  
 SYLT:  
 Square/rectangle


**Hoesch:**

Armada 6169 – 6179  
 Armada 6182, 6183  
 Aviva 6618  
 Aviva 6620  
 Cabo 6615.010  
 Combi 5590, 5591  
 Edition Andree Putman 6655  
 Foster 6628, 6629, 6646, 6647, 6697  
 Foster 6476  
 Happy D 6180 – 6487  
 Largo 3691 – 3709  
 Largo 3710  
 Mila 3712 – 3717  
 Orlando 6017  
 Philippe Starck 6020, 6135  
 Sclta 3669 – 3679  
 Singlebath Uno 3687, 3697  
 Singlebath Duo 3686, 3688,  
     3698, 3699  
 Spectra 3650 – 3667  
 Spectra 6480 – 6483, 6626  
  
 Muna  
 Muna S  
 Ninas  
 Samar  
 Tierra

**Ideal Standard:**


Connect Air  
 Dea  
 Hotline  
 I.Life  
  
 Hotline  
 Ultra Flat

**Kaldewei:**


Cayono (Star)  
 Cayono (Duo)  
 Classic Duo/Oval  
 Dyna (Star) Set  
 Meisterstück Classic Duo Oval  
 Mini (Star)  
 Plaza Duo  
 Puro (Star)  
 Puro with side overflow  
 Puro Set Wide  
 Saniform (Star), Plus (Star), V1-V4 (Star)  
 Silenio  
 Vaio (Star), (Star) Set, 6 (Star),  
     Duo, Duo Oval, Duo 6, Duo 8  
  
 Arrondo  
 Cayonoplan  
 Conoflat  
 Cornezza  
 Duschplan  
 Sanidusch  
 Scona  
 Superplan  
 Zirko

## Laufen:



Ilbagnoalessi 24197, 24397, 24497  
 Laufen Pro 22395, 23195, 23395,  
 22495, 23095, 22595  
 Laufen Pro 22695, 24295, 22795,  
 23295, 24095, 24195, 244955,  
 244956, 245957, 23495  
 Luna 23008, 23108, 23208  
 Luna 23308, 23408  
 Palomba 24280, 24380, 23180, 23280  
 Palladium 22511, 22510  
 Thallium 225080, 22509



Platina 215001 - 215019,  
 215030 - 215037  
 Platina 215021 - 215023

## Polypex:



Aurora  
 Bahamas  
 Beach  
 Calina  
 Callas  
 Cama  
 Easy  
 Ego  
 Er-Sie-Es  
 Family  
 Gala  
 Grande  
 Happy  
 Insieme  
 K-Serie  
 Koena  
 Kreta Nova  
 Lotus  
 Luna  
 Malibu  
 Maona  
 Mare  
 Objekt  
 Plus  
 Quattro  
 Siena  
 Velden  
 Venedig  
 Vielo



Aurora  
 Daimana  
 Ego  
 F 80, 90, 100, 120  
 Lagune  
 Maona

## Roca:



Belice  
 Becool  
 Becool 1800/1900  
 Contesa  
 Continental  
 Duo Plus  
 Easy  
 Element  
 Genova  
 Haiti  
 Italia  
 Lun

Malibu  
 Princess  
 Sureste  
 Swing  
 Tampa  
 A Vythos A248553/4/5/6000,  
 A248581/2/3/4001  
 A248604/5/6/7001,  
 B A248632000,  
 A A248634/5001  
 B Vythos A248551/2/5000,  
 B A248547/8/9000  
 A A245580001,  
 B A284600/1/2/3001  
 A284575/6/7/8001  
 F Easy  
 G Granada  
 Italia  
 Malibu  
 Malta  
 Neo Daiquiri

## Villeroy & Boch:



A Architectura  
 C Avento  
 A Legato  
 A Libra  
 A Loop&Friend UBA199LFS2V,  
 A UBA180LFO2V, UBA180LFS2V,  
 A UBA170LFS2V  
 A My Art UBQ170MYA2V  
 A My Art UBQ180MYA2V  
 B Oberon UBQ199OBE2V  
 A Oberon UBQ160/170/180BE2V  
 A O.novo  
 A Squaro  
 A Subway  
 A Futurion Flat  
 A O.novo  
 A O.novo Plus  
 A Subway



The data of the instructions for use are taken from the product informations of the manufacturers.  
 For the completeness, correctness and changes we cannot take over guarantee.