


Drains for bathtubs and shower trays

Drainage technology



Supplies, drains and overflows made of polypropylene (PP) and accessories for bathtubs and shower trays. Various mechanical and electronic equipment versions.

Multiplex Trio

Drain and overflow for bathtubs, with water supply through the overflow unit, drain hole Ø 52 mm, for use with pipe interrupter, rotatable rosette or motor-operated.

Rotaplex Trio

Drain and overflow for bathtubs, with water supply through the overflow unit, drain hole Ø 90 mm, for use with pipe interrupter, rotatable rosette or motor-operated.

Multiplex Trio F

Drain and overflow for bathtubs, with water supply through the drain unit, drain hole Ø 52 mm, for use with pipe interrupter, rotatable rosette or motor-operated.

Rotaplex Trio F

Drain and overflow for bathtubs, with water supply through the drain unit, drain hole Ø 90 mm, for use with pipe interrupter, rotatable rosette or motor-operated.

Multiplex

Drain and overflow for bathtubs, drain hole Ø 52 mm, rotatable rosette operation.

Rotaplex

Drain and overflow for bathtubs, drain hole Ø 90 mm, rotatable rosette operation.

Citaplex

Drain and overflow for bathtubs, drain hole Ø 52 mm, closure with valve plug.

Domoplex

Drain for shower trays, drain hole Ø 52 mm, with removable odour trap.

Tempoplex

Drain for shower trays, drain hole Ø 90 mm, installation depth 60 or 80 mm, with removable odour trap.

Tempoplex Plus

Drain for shower trays, drain hole Ø 90 mm, installation depth 90 mm, with especially high drainage capacity, with removable odour trap.

Duoplex

Drain for shower trays, drain hole Ø 52 mm, with cover cap standpipe, with removable odour trap.

Note

Use of the products for areas of application and media other than those described must be agreed in consultation with Viega! Plastic products made from PP (polypropylene) are environmentally compatible and offer the best properties for domestic wastewater. Hot water heated only briefly to max. 95 °C may be discharged via the odour traps! Do not use chemical cleaning agents to remove pipe blockages! Use only mild cleaning agents for the surfaces! Detailed information about applications, restrictions and national standards and directives can be found in the product information, either printed or on the Viega website.

Subject to change without prior notice!

Latest Z- and installation dimensions as well as further technical information can be found on the Viega website and have to be checked before purchase, planning, construction work and use. Our products are continuously optimised.

This product description contains important information on choice of product and system, mounting, commissioning as well as intended use and, if required, on maintenance measures. This information on products, their features and application techniques is based on currently valid standards in Europe (e.g. EN) and/or in Germany (e.g. DIN/DVGW). Some passages in the text may refer to technical regulations in Europe/Germany. These should be considered as recommendations for other countries where no corresponding national requirements exist. The relevant national laws, standards, regulations, directives and other technical provisions take priority over the German/European directives specified in this product description: The information herein is not binding for other countries and regions and should be understood as recommendation.









TABLE OF CONTENTS

Overview of equipment sets	4
Multiplex	5
Rotaplex	7
Multiplex Trio	8
Rotaplex Trio	12
Simplex	13
Simplex Trio	14
Tempoplex	14
Tempoplex Plus	16
Domoplex	17
Accessories	18
Usage notes	19


GTIN-Code (Global Trade Item Number previously EAN-code)

The GTIN number consists of the constant manufacturer number 4015211 and the six-digit article number, in this example 305 611. The exchange of the last six digits for the article number reveals the GTIN code.

OVERVIEW OF EQUIPMENT SETS

Multiplex	Multiplex Trio
 <p>6162.1 6163.1 6163.2</p>	 <p>6161.52 6161.62 6161.72</p>
<p>+</p>  <p>6162.01 6154.0 6171.0</p>	<p>+</p>  <p>6161.01 6161.13 6170.0</p>
Rotaplex	Rotaplex Trio
 <p>6142.32 6142.33</p>	 <p>6141.62 6141.72</p>
<p>+</p>  <p>6142.01 6156.0</p>	<p>+</p>  <p>6141.01 6141.02</p>

MULTIPLEX


Multiplex Drain/overflow
Visign M5
flat version; only 33 mm space required behind the bathtub
Components

chrome-plated rotatable rosette, chrome-plated drain plug, odour trap, waste elbow 45°, chrome-plated valve

Technical data

water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

Note

See current overview for usage notes.

quality controlled in accordance with DIN EN 274


Model	DN	BWL	L	H	SB	BCC	B52	PU	Article	DG
6162.45	40/50	560	100-260	180-400	✓		✓	24	101 909	14
6163.45	40/50	725	130-370	180-430		✓	✓	10	138 561	14

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

B52 = for bathtub with Ø 52 drain hole


Multiplex Drain/overflow
Visign M5
flat version; only 33 mm space required behind the bathtub

- without: odour trap

Components

chrome-plated rotatable rosette, chrome-plated drain plug, chrome-plated valve

Note

See current overview for usage notes.


Model	G	BWL	L	H	SB	BCC	B52	PU	Article	DG
6162	1½	560	100-260	180-400	✓		✓	24	114 893	14
6163	1½	725	130-370	180-430		✓	✓	10	152 079	14

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

B52 = for bathtub with Ø 52 drain hole





Multiplex Drain/overflow functional unit

flat version; only 33 mm space required behind the bathtub
 - without: rotatable rosette, drain plug

Components

odour trap, waste elbow 45°, chrome-plated valve

Technical data

water seal height 50 mm


drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

Note

See current overview for usage notes.

quality controlled in accordance with DIN EN 274



Model	DN	BWL	L	H	SB	BCC	XLB	B52	PU	Article	DG
6162.1	40/50	560	100-260	180-400	✓			✓	24	103 071	14
6163.1	40/50	725	130-370	180-430		✓		✓	5	111 069	14
6163.2	40/50	1070	130-680	180-480			✓	✓	10	308 889	14

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

XLB = extra-long bathtub

B52 = for bathtub with Ø 52 drain hole



Multiplex Equipment set Visign M5

- for drain/overflow functional unit

Components

rotatable rosette, drain plug

Model 6162.01

DESIGN PLUS
 powered by IISH

Version	PU	Article	DG
plastic chrome-plated	10	721 244	14
plastic chrome matt	1	735 906	15
plastic stainless steel coloured brushed	1	735 890	15
plastic design white	1	735 883	15
plastic black matt	1	806 118	15
plastic special colour	1	765 873 ¹	15
plastic metallic colour	1	765 880 ¹	15

¹⁾ Delivery time for customised range: 10 weeks plus shipping; non-returnable!




Multiplex Equipment set Visign M3

Components

rotatable rosette, drain plug

Model 6154.0



Version	PU	Article	DG
plastic chrome-plated	1	576 325	14
plastic design white	1	735 913	15


Multiplex Equipment set
Visign M9
water level increase plus 5 cm

- for drain/overflow functional unit

Components

overflow rosette, rotatable rosette, fixing flange, drain plug

Note

When mounting the fixing flange must be replaced!

Model 6171.0

Version	PU	Article	DG
plastic chrome-plated	1	724 597	14


Multiplex Drain/overflow
Visign M9
water level increase plus 5 cm

- flat version; only 33 mm space required behind the bathtub, alternatively increase the water level

Components

overflow rosette, rotatable rosette, drain plug, odour trap, waste elbow 45°, chrome-plated valve

Technical data

water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

Note

See current overview for usage notes.

Model	DN	BWL	L	H	SB	BCC	XLB	B52	PU	Article	DG
6171.10	40/50	560	100-260	180-400	✓			✓	5	724 566	14
6171.11	40/50	725	130-370	180-430		✓		✓	10	733 582	14
6171.12	40/50	1070	100-680	180-480			✓	✓	10	733 599	14


BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

XLB = extra-long bathtub

B52 = for bathtub with Ø 52 drain hole


ROTAPLEX

Rotaplex Drain/overflow functional unit
flat version; only 33 mm space required behind the bathtub

- without: rotatable rosette, cover cap

Components

odour trap, waste elbow 45°

Technical data

water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 1.25 l/s

Flush volume factory setting 0.63 l/s

Note

See current overview for usage notes.


quality controlled in accordance with DIN EN 274
Model 6142.32

DN	BWL	L	H	BCC	B90	PU	Article	DG
40/50	725	150-400	180-430	✓	✓	10	488 659	14

BWL = bowden wire length

BCC = bathtub central connection

B90 = for bathtub with Ø 90 drain hole





Rotaplex Equipment set
Visign R5
 - for drain/overflow functional unit
Components
 rotatable rosette, cover cap
Model 6142.01

DESIGN PLUS
 powered by **ISH**

Version	PU	Article	DG
plastic chrome-plated	1	721 558	14



Rotaplex Equipment set
Visign R3
Components
 rotatable rosette, cover cap
Model 6156.0




Version	PU	Article	DG
plastic chrome-plated	1	586 508	14

MULTIPLEX TRIO



Multiplex Trio Drain/overflow
Visign MT5
flat version; only 33 mm space required behind the bathtub
 - for water supply through the overflow unit
Components
 chrome-plated rotatable rosette, chrome-plated drain plug, chrome-plated cover rosette, inlet flange, odour trap, waste elbow 45°, chrome-plated valve
Technical data
 water seal height 50 mm
 drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s
 Flush volume factory setting 0.63 l/s
Note
 See current overview for usage notes.
 quality controlled in accordance with **DIN EN 274**



Model	DN	BWL	L	H	SB	BCC	XLB	B52	PU	Article	DG
6161.50	40/50	560	100-260	180-400	✓			✓	1/5	727 734	10
6161.60	40/50	725	130-370	180-430		✓		✓	1	727 741	10
6161.70	40/50	1070	100-680	180-480			✓	✓	1	727 758	10

BWL = bowden wire length
 SB = standard bathtub
 BCC = bathtub central connection
 XLB = extra-long bathtub
 B52 = for bathtub with Ø 52 drain hole


Multiplex Trio Drain/overflow functional unit
flat version; only 33 mm space required behind the bathtub

- for water supply through the overflow unit
- without: rotatable rosette, overflow rosette, drain plug

Components

inlet flange, odour trap, waste elbow 45°, chrome-plated valve

Technical data

water seal height 50 mm


drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

Note

See current overview for usage notes.

in accordance with DIN EN 274



Model	DN	BWL	L	H	SB	BCC	XLB	PU	Article	DG
6161.52	40/50	560	100–260	180–400	✓			10	725 778	10
6161.62	40/50	725	130–370	180–430		✓		5	727 970	10
6161.72	40/50	1070	130–680	180–480			✓	10	727 987	10

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

XLB = extra-long bathtub


Multiplex Trio Equipment set
Visign MT5

- for drain/overflow functional unit
- suitable for Multiplex Trio drain/overflow functional unit model 6161.52, 6161.62, 6161.72

Components

rotatable rosette, overflow rosette, drain plug

Model 6161.01

Version	PU	Article	DG
plastic chrome-plated	10	725 785	10
plastic black matt	1	806 125	15
plastic chrome matt	1	732 486	15
plastic polished brass	1	732 493	15
plastic stainless steel coloured brushed	1	732 509	15
plastic design white	1	725 815	15
plastic special colour	1	766 474 ¹	15
plastic metallic colour	1	766 481 ¹	15

¹⁾ Delivery time for customised range: 10 weeks plus shipping; non-returnable!

Multiplex Trio Equipment set
Visign MT3

- for drain/overflow functional unit
- suitable for Multiplex Trio drain/overflow functional unit model 6161.52, 6161.62, 6161.72

Components

rotatable rosette, overflow rosette, drain plug

Model 6161.13

Version	PU	Article	DG
plastic chrome-plated	1	725 792	10
plastic design white	1	725 822	15



Multiplex Trio Equipment set

Visign MT9

water level increase plus 5 cm

- for drain/overflow functional unit
- suitable for Multiplex Trio drain/overflow functional unit model 6161.52, 6161.62, 6161.72

Components

overflow rosette, rotatable rosette, fixing flange, drain plug

Note

When mounting the fixing flange must be replaced!

Model 6170.0

Version	PU	Article	DG
plastic chrome-plated	1	724 580	10



Multiplex Trio Drain/overflow

Visign MT9

water level increase plus 5 cm

- for water supply through the overflow unit
- flat version; only 33 mm space required behind the bathtub, alternatively increase the water level

Components

overflow rosette, rotatable rosette, drain plug, odour trap, waste elbow 45°, chrome-plated valve

Technical data


water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.63 l/s

Note

See current overview for usage notes.



Model	DN	BWL	L	H	SB	BCC	XLB	B52	Version	PU	Article	DG
6170.10	40/50	560	100–260	180–400	✓			✓	chrome-plated stainless steel	5	723 347	10
6170.10	40/50	560	100–260	180–400	✓			✓	coloured/brushed	5	724 559¹	15
6170.11	40/50	725	130–370	180–430		✓		✓	chrome-plated	10	733 605	10
6170.12	40/50	1070	100–680	180–480			✓	✓	chrome-plated	1	733 612	10

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

XLB = extra-long bathtub

B52 = for bathtub with Ø 52 drain hole

¹ Delivery time for customised range: 8 weeks plus shipping; non-returnable!


Multiplex Trio Drain/overflow
Visign MT5

- for water supply through the overflow unit
- without: odour trap

Components

chrome-plated rotatable rosette, inlet flange, chrome-plated drain plug, waste elbow 45°, chrome-plated valve


Model 6161.36

G	BWL	BCC	B52	PU	Article	DG
1½	725	✓	✓	10	727 963	10

BWL = bowden wire length

BCC = bathtub central connection

B52 = for bathtub with Ø 52 drain hole


Multiplex Extension set

- for extension of the drain in bathtub with thick bottom

Model 6161.7

H	PU	Article	DG
20	1	122 201	10


Multiplex Trio F Drain/overflow flat version; only 33 mm space required behind the bathtub

- for water supply through the drain unit

Components

rotatable rosette Visign M5, chrome-plated cover cap, inlet element, odour trap, waste elbow 45°, concealed pipe interrupter, DIN EN 1717 safety device DB, with rosette RU2

Technical data

water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 0.85 l/s

Flush volume factory setting 0.63 l/s

Note

See current overview for usage notes.

quality controlled in accordance with DIN EN 274



DESIGN PLUS
powered by ISH



Model	DN	BWL	L	H	SB	BCC	XLB	B52	PU	Article	DG
6145.4	40/50	560	100–260	180–350	✓			✓	1	672 027	10
6145.5	40/50	725	130–370	180–370		✓		✓	1	675 462	10
6145.6	40/50	1070	130–680	180–430			✓	✓	1	675 479	10


BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

XLB = extra-long bathtub

B52 = for bathtub with Ø 52 drain hole



ROTAPLEX TRIO



Rotaplex Trio Drain/overflow functional unit

flat version; only 33 mm space required behind the bathtub

- for water supply through the overflow unit
- without: rotatable rosette, cover cap, overflow rosette

Components

inlet flange, odour trap, waste elbow 45°

Technical data

water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 1.25 l/s

Flush volume factory setting 0.63 l/s

Note

See current overview for usage notes.

quality controlled in accordance with DIN EN 274


Model 6141.62

DN	BWL	L	H	BCC	B90	PU	Article	DG
40/50	725	150-400	180-430	✓	✓	10	727 949	10

BWL = bowden wire length

BCC = bathtub central connection

B90 = for bathtub with Ø 90 drain hole



Rotaplex Trio Equipment set

Visign RT5

- for drain/overflow functional unit

Components

rotatable rosette, overflow rosette, cover cap

Model 6141.01

Version	PU	Article	DG
plastic chrome-plated	1	732 530	10
plastic stainless steel coloured brushed	1	732 547	15
plastic design white	1	732 523	15



Rotaplex Trio Equipment set

Visign RT3

- for drain/overflow functional unit

Components

rotatable rosette, overflow rosette, cover cap

Model 6141.02

Version	PU	Article	DG
plastic chrome-plated	1	734 107	10

SIMPLEX



Simplex Drain/overflow
 flat version; only 33 mm space required behind the bathtub
 - without: odour trap

Components

flexible overflow pipe, chrome-plated rotatable rosette, chrome-plated drain plug, stainless steel valve

Model	G	BWL	SB	BCC	B52	PU	Article	DG
6168.2	1½	560	✓		✓	25	133 825	14
6168.21	1½	725		✓	✓	25	595 685	14

BWL = bowden wire length
 SB = standard bathtub
 BCC = bathtub central connection
 B52 = for bathtub with Ø 52 drain hole



Simplex Drain/overflow
 flat version; only 33 mm space required behind the bathtub

Components


flexible overflow pipe, chrome-plated rotatable rosette, chrome-plated drain plug, odour trap, waste elbow 45°, stainless steel valve

Technical data

water seal height 50 mm
 drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s
 Flush volume factory setting 0.63 l/s

Model	DN	BWL	SB	BCC	B52	PU	Article	DG
6168.45	40/50	560	✓		✓	25	285 357	14
6168.46	40/50	725		✓	✓	25	595 678	14

BWL = bowden wire length
 SB = standard bathtub
 BCC = bathtub central connection
 B52 = for bathtub with Ø 52 drain hole



Drain plug
 - for Multiplex, Multiplex Trio,
 Simplex
 - fig. 5

Model 6168-035

Version	PU	Article	DG
chrome-plated	50	215 392	10



Simplex
 - for series from 2009
 - fig. 3

Model 6168.02

Version	PU	Article	DG
chrome-plated	1	657 406	10

SIMPLEX TRIO



Simplex Trio Drain/overflow

Visign MT5

- for water supply through the overflow unit

Components

flexible overflow pipe, chrome-plated rotatable rosette, chrome-plated drain plug, odour trap, waste elbow 45°, stainless steel valve

Technical data

water seal height 50 mm

drainage capacity 300 mm (in accordance with EN 274) 0.92 l/s

Flush volume factory setting 0.60 l/s


Model	DN	BWL	SB	BCC	B52	PU	Article	DG
6166.41	40/50	560	✓		✓	10	728 007	10
6166.42	40/50	725		✓	✓	10	728 014	10

BWL = bowden wire length

SB = standard bathtub

BCC = bathtub central connection

B52 = for bathtub with Ø 52 drain hole



TEMPOPLEX



Tempoplex Drain

Components

removable odour trap, waste

elbow 45°, chrome-plated cover cap

Technical data

water seal height 50 mm

drainage capacity 15 mm (in


accordance with EN 274) 0.45 l/s

quality controlled in accordance with DIN EN 274

Model 6956EX

Ø	DN	D90	PU	Article	DG
120	40/50	✓	10	364 786	90

D90 = for shower tray with Ø 90 drain hole



Tempoplex Drain

Components

chrome-plated cover cap, removable odour trap, waste elbow 45°

Technical data

water seal height 50 mm


drainage capacity 15 mm (in accordance with EN 274) 0.64 l/s

quality controlled in accordance with DIN EN 274

Model 6961

Ø	H	DN	D90	PU	Article	DG
115	80	40/50	✓	1/10	575 601	90

D90 = for shower tray with Ø 90 drain hole




Tempoplex Drain functional unit

- without: cover cap

Components


removable odour trap, waste elbow 45°

Technical data

water seal height 50 mm

drainage capacity 15 mm (in accordance with EN 274) 0.64 l/s

quality controlled in accordance with DIN EN 274

Model 6961.1


DN	H	D90	PU	Article	DG
40/50	80	✓	1/10	575 625	90

D90 = for shower tray with Ø 90 drain hole


Tempoplex Drain functional unit CH 60 mm

- without: cover cap


Components

removable odour trap, waste elbow 45°

Technical data

water seal height 30 mm

drainage capacity 15 mm (in accordance with EN 274) 0.55 l/s

Model 6963.1


DN	H	D90	PU	Article	DG
40/50	60	✓	1/10	634 117	90

D90 = for shower tray with Ø 90 drain hole


Tempoplex Drain
Components


chrome-plated cover cap, removable odour trap, vertical drain pipe, minimum drill hole Ø 120 mm

Technical data

water seal height 50 mm

drainage capacity 15 mm (in accordance with EN 274) 0.62 l/s

quality controlled in accordance with DIN EN 274

Model 6965


Ø	H	DN	D90	PU	Article	DG
115	81	40/50	✓	1	801 786	90

D90 = for shower tray with Ø 90 drain hole


Tempoplex Drain
functional unit

- without: cover cap

Components


removable odour trap, vertical drain pipe, minimum drill hole Ø 120 mm

Technical data

water seal height 50 mm


drainage capacity 15 mm (in accordance with EN 274) 0.62 l/s

quality controlled in accordance with DIN EN 274

Model 6965.1


Ø	H	DN	D90	PU	Article	DG
115	81	40/50	✓	1	801 793	90

D90 = for shower tray with Ø 90 drain hole



Tempoplex Drain

Components

chrome-plated cover cap, removable odour trap, screwable waste elbow 90°


Technical data

water seal height 50 mm

drainage capacity 15 mm (in accordance with EN 274) 0.64 l/s


quality controlled in accordance with DIN EN 274

Model 6961.5



Ø	H	DN	D90	PU	Article	DG
115	80	40	✓	1	793 609	90

D90 = for shower tray with Ø 90 drain hole



Tempoplex Drain

functional unit

- without: cover cap

Components

removable odour trap, screwable waste elbow 90°


Technical data

water seal height 50 mm

drainage capacity 15 mm (in accordance with EN 274) 0.64 l/s

quality controlled in accordance with DIN EN 274

Model 6961.9



DN	H	D90	PU	Article	DG
40	80	✓	1	793 593	90

D90 = for shower tray with Ø 90 drain hole

TEMPOPLEX PLUS



Tempoplex Plus Drain

high drainage capacity

Components

chrome-plated cover cap, removable odour trap, height-adjustable horizontal drain pipe with ball joint


Technical data

water seal height 60 mm

drainage capacity 15 mm (in accordance with EN 274) 0.85 l/s

drainage capacity according to DIN EN 274

Model 6960



DN	Ø	H	D90	PU	Article	DG
50	115	90	✓	1	578 916	90

D90 = for shower tray with Ø 90 drain hole



Tempoplex Plus Drain

functional unit

high drainage capacity

- without: cover cap

Components

removable odour trap, height-adjustable horizontal drain pipe with ball joint


Technical data

water seal height 60 mm

drainage capacity 15 mm (in accordance with EN 274) 0.85 l/s

drainage capacity according to DIN EN 274

Model 6960.1



DN	H	D90	PU	Article	DG
50	90	✓	10	559 991	90

D90 = for shower tray with Ø 90 drain hole


Cover cap

- for functional unit, Tempoplex, Tempoplex Plus, Tempoplex 60 mm

Model 6960.0

Ø	D90	Version	PU	Article	DG
112	✓	brass chrome-plated	1	560 003 ¹	90
112	✓	plastic chrome matt	1	560 812	15
112	✓	plastic stainless steel coloured brushed	1	560 843	15
112	✓	plastic design white	1	560 805	15

D90 = for shower tray with Ø 90 drain hole

¹⁾ brass cover cap

Sieve insert

- for Tempoplex, Tempoplex Plus, Tempoplex 60 mm, series from 2006

- not suitable for Tempoplex drain model 6956EX

Model 6961.96

	PU	Article	DG
	1	582 951	90


Locking screw set

- for Tempoplex, Domoplex

Components

locking screws M5x30x9 mm

Note

Locking screws cannot be removed after mounting!

Model 6161.65

	PU	Article	DG
	1	789 305	90


Sieve insert

- suitable for Tempoplex drain model 6965, Tempoplex drain functional unit model 6965.1

Model 6965.90

	PU	Article	DG
	1	801 809	90

DOMOPLEX

Domoplex Drain
Components

chrome-plated cover cap, removable odour trap, waste elbow 45°

Technical data

water seal height 50 mm


drainage capacity (in accordance with EN 274) 0.73 l/s

quality controlled in accordance with DIN EN 274

Model	Ø	H	DN	D52	D65	PU	Article	DG
6928	75	80	40/50	✓		10	126 582	90
6929	90	80	40/50		✓	10	208 615	90

D52 = for shower trays with Ø 52 drain hole

D65 = for shower trays with Ø 65 drain hole





Domoplex Drain


Technical data

water seal height 50 mm
 drainage capacity (in accordance with EN 274) 0.73 l/s
 quality controlled in accordance with DIN EN 274

Model 6928EX

Ø	DN	D52	Version	PU	Article	DG
75	40/50	✓	chrome-plated	10	364 755	90

D52 = for shower trays with Ø 52 drain hole



Locking screw set

- for Tempoplex, Domoplex

Components

locking screws M5x30x9 mm

Note

Locking screws cannot be removed after mounting!

Model 6161.65

	PU	Article	DG
	1	789 305	90

ACCESSORIES




Drain pipe

- for connection to the wastewater system, plug-in connection to UK pipe connection (Inch)
 - adhesive

Model 4981.87

DN	internal-Ø	PU	Article	DG
40/50	43	1	794 897	90



Clamping ring screw fitting

- for third-party pipe
 - not suitable for Sanfix Fosta pipe
 - brass
 - Viega plug-in seat

Components

nickel-plated union nut, polygon

Model 1019

d	s	PU	Article	DG
16	2	10	356 682	77



Connection screw fitting

- for copper pipe, steel pipe
 - brass nickel-plated
 - Viega plug-in seat

Components

polygon

Model 94385.1

d	G	PU	Article	DG
12	¾	10	112 608	78
15	¾	10	105 358	78



Drain pipe


- for connection to the wastewater system
 - non-adhesive

Model 4981.86


DN	PU	Article	DG
40/50	1	794 521	90

USAGE NOTES


A 6145.4; 6161.2; 6161.50; 6161.51; 6161.52 + 6161.01/
6161.13; 6162; 6162.1 + 6162.01/6154.0; 6162.175 +
6162.01/6154.0; 6162.45; 6162.875; 6170.10; 6171.10;
6176; 6176.24; 6176.45




E 6142.33 + 6142.01/6156.0; 6141.70; 6141.71; 6141.72 +
6141.01/6141.02




B 6145.5; 6145.51; 6148.1; 6161.36; 6161.60; 6161.61;
6161.62 + 6161.01/6161.13; 6163; 6163.1 + 6162.01/
6154.0; 6163.45; 6163.875; 6170.11; 6171.11; 6175.1;
6175.1



F 6957; 6960; 6960.1 + 6960.0/6964.0; 6961; 6961.1 +
6960.0/6964.0; 6961.6; 6961.61 + 6960.0/6964.0;
6961.875; 6962; 6962.1 + 6960.0/6964.0; 6963; 6963 +
6960.0/6964.0; 6963.6




C 6145.6; 6161.70; 6161.71; 6161.72 + 6161.01/6161.13;
6163.2 + 6162.01/6154.0; 6170.12; 6171.12



G 6928; 6928.1 + 6928.0/6930.0; 6928.175 + 6928.0/6930.0;
6928.21 + 6928.0/6930.0; 6928.9; 6928.95; 6928.175 +
6928.0/6930.0; 6928.9; 6931.45; 6934; 6934.1 + 6934.0



D 6142.32 + 6142.01/6156.0; 6141.60; 6141.61; 6141.62 +
6141.01/6141.02; 6175.2



H 6929; 6929.1 + 6931.0; 6929.21 + 6931.0; 6929.29;
6929.95



Bette:					
Belbette	A	BetteRomantica	A	Piccolo Sky 180, 181	B
BetteArco	A	BetteSchmidten II	D	Piccolo shower tray 669, 670	F
BetteBambino	A	BetteSeat	A	Portofino 113, 115	A
BetteCaro without apron, 35 high	F	BetteSelect 3410–3413	C	Portofino 340	B
BetteCaro shower tray		BetteSelect 3420–3433	B	Smart-line 30/31	C
with/without apron, 65 high	F	BetteSetline	A	Smart-line 32, 34, 35, 36, 37, 38, 39,	
BetteChic	A	BetteSet	A	40, 44, 45, 46, 47	B
BetteClassic	A	BetteSet Comfort	A	Smart-line shower tray 60–71	F
BetteCora	B	BetteSign	A	Smart-line shower tray 60–66	F
BetteCora Ronda	B	BetteSkyline	D	Vario 242, 243	B
BetteCora Ronda Comfort	B	BetteSpa	E*		
BetteCora Comfort	B	BetteStarlet	B	Galatea:	
BetteCorner without apron, 35 high	F	BetteStarlet Comfort	B	Beach BH 180, BH 200	B
BetteCorner shower tray		BetteStarlet I	B	Beach BH 190S, BH 150E	C
with/without apron, 65 high	F	BetteStarlet I Comfort	B	Beach BH shower tray all models	F
BetteCorner shower tray		BetteStarlet II	B	Cliff CF 145E, CF 210S	A
with/without apron, 150 high	G	BetteStarlet III	B	Cliff CF 180	B
BetteCorner shower tray		BetteStarlet IV	B	Cliff CF shower tray all models	F
with/without apron, 280 high	A	BetteStarlet IV Comfort	B	Coast CT 180, CT 170, CT 170U,	
BetteCorner Morrison	B	BetteStarlet V	B	CT 170D, CT 160K, CT 180K	B
without apron	B	BetteStarlet V Comfort	B	Coast CT 145E, CT 190S, CT 200S	C
BetteCorner Morrison Comfort	B	BetteStarlet Flair Oval	B	Coast CT shower tray all models	F
BetteCorner Sieger cornered round	D	BetteStarlet Oval	B	Splash SH 160/75, SH 170/75	A
BetteCorner Sieger Comfort	D	BetteStarlet Oval Comfort	B	Sunrise SE 150/70, SE 160/70,	
BetteDarling bath tub	B	BetteStarlet Octa	B	SE 170/70, SE 180/80,	
BetteDarling shower tray	F	BetteStarlet Hexagon	B	SE 150/75, SE 160/75,	
BetteDream	B	BetteSteel Duo	B	SE 170/75, SE 150U, SE 160U	A
BetteDual	B	BetteSteel Oval	B	Sunrise SE 80QFL/QSF/RFL/RSE,	
BetteDuett	A	BetteSteel Corner	A	SE 90QFL/QSF/RFL/RSE,	
BetteDuo	A	BetteSteel Corner Comfort	A	SE 100QFL/QSF, SE 90/75FL/SF,	
Bette shower ultra-flat 3,5 CM	F	BetteStep bath tub	A	SE 90/80FL/SF	F
Bette shower tray 6,5 CM	F	LaBette	A	Sunset ST 45E, ST 116 cornered,	
Bette shower tray 15,0 CM	G	* = do not use Rotaplex Trio,		ST 116 round	A
Bette shower tray 28,0 CM	A	model 6141.33		Sunset ST 200, ST 176E	B
BetteEmotion	F	Duravit:		Sun S 109, S 110, S 202, S 204,	
BetteEsprit	B	B Daro 700027, 700141	A	S 206, S 208, S 210, S 220 left,	
BetteEsprit Comfort	B	B Daro 700028	B	S 222 right, S 224 left, S 226 right	A
BetteFamily	B	B Darling 700238–4	B	Sun S 114, S 115,	
BetteFamily Octa	B	B D-Code 700096, 700098, 700100	A	S 180/800 V VL VR, S 190/900C,	
BetteFamily Oval	B	B D-Code 700101, 700137, 700138,		S 190/800 V VL VR, S 200/900C	B
BetteForm	A	710097, 710099	B	Sun S 332, S 333, S 341, S 342,	
BetteForm Comfort	A	D-Code 720093–113	F	S 343, S 345, S 346, S 352,	
BetteForm Low-Line	A	Dura Style	B	S 353, S 354, S 360, S 361,	
BetteForm Nova	A	A Esplanata 700281–91	C	S 370, S 371, S 374, S 375,	
BetteForm Safe	A	A Happy D. 700308–320	B	S 381, S 382, S 383, S 385	F
BetteFree	B	B Happy D. shower tray	B	Sun S 301, S 302, S 314	G
BetteHome	D	D Onto 700230–233	F	Surf SF 150 D, SF 150 U, SF 170,	
BetteHome Comfort	D	D Paiova	B	SF 170 U, SF 180	A
BetteHome Oval	D	D PuraVida 700181, 700198	C		
BetteHome Oval Comfort	D	D PuraVida 700182, 700183, 700184	A	GKI	
BetteLine	A	B PuraVida shower tray 720077/78	B	MEMO:	
BetteLuna	B	B Starck Rectangle 700001–3, 700059,	F	Rectangle bathtub 1700x750x450,	
BetteMetric	B	700060, 700089, 700333–337,		1700x800x450, 1800x800x450	B
BetteMorrison	B	700117–700119	A	Rectangle bathtub 1900x900x450,	
BetteMorrison Comfort	B	B Starck Rectangle 700204–207,		1800x1400x500	C
BetteMorrison Oval	B	B 700048, 700052, 700057,		Oval bathtub 1800x800x450	B
BetteOcean	B	B 700058, 700061, 700062,		Oval bathtub 1900x900x450	C
BetteOcean Low-Line	B	B 700088, 700090, 700338–341	B	Corner bathtub 1700x900/600x450,	
BetteOne/Highline	B	B Starck Oval 700009–12	B	1750x1350/700x450	C
BetteOne Relax/Highline	B	B Starck shower tray series	B	Shower tray family	F
BettePlan	B	B Vero	F	FOX:	
BettePoint	F	Duscholux:	B	Rectangle bathtub 1700x750x420,	
BettePoint Corner	F	F Ancona 110, 112		1800x800x460	B
BettePoint Wall	F	D Ancona shower tray 914, 915	A	Oval bathtub 1850x900x460	B
BettePool Oval	D	D Cordoba 871, 875	F	Corner solution 1800x800x460	B
BettePool I, II, III	A	A Free-line 118, 242, 408/409, 534	F	LIVE:	
BettePrisma	A	A Malaga 460, 461, 470, 471	F	Rectangle bathtub 1700x800x430,	
BetteProfi-Form	A	A Malaga shower tray 774	D	1800x800x450	B
BettePur 170	B	B Prime-line 245/246, 247/248,	A	Shower tray family	F
BettePur 180	A	A 249/250, 251/252, 253/254, 255,	F	UNO:	
BettePur Comfort	A	A 257, 259, 260, 261, 262, 263,		Rectangle bathtub 1700x750x450,	
BettePur Oval	A	A 264, 265, 266		1800x800x480, 1700x800x480	B
BettePur Hexagon	A	A Piccolo 163, 164, 167, 168, 173, 174	A	Oval bathtubs 1800x800x480	B
BettePur IV/V	A	A Piccolo Duo	A	Hexagonal bathtub 1900x900x450,	
BettePur IV/V Comfort	A		A	2050x900x480	B
			A	Shower tray family	F

Vario corner bathtub NOVA 1400x1400x450, 1900x900x450, 2050x900x480			
Hoesch:			
Arica 5569, 5573			
Armada 6169, 6173, 6174-6179, 6182, 6183			
Armada 6336, 6369, 6401, 6407, 6411, 6417, 6421 6544, 6556, 6566, 6568			
Aviva 6618			
Aviva 6619, 6620			
Avventura 6648, 6698			
Cartagena 5537			
Capri 6103-6107, 6116, 6195			
Combi 5590			
Edition Andree Putman 6655, 6656			
Foster 6646, 6647, 6629			
Foster 6628, 6476-6479			
Giorno 6679-6681, 6693, 6694, 6699			
Happy D. 6180, 6181, 6484-6487			
Largo 3695, 3705, 3706, 3708, 3709			
Largo 3692, 3693, 3694, 3696, 3707, 3691, 3710			
Lima 6388			
Medici 6005			
Maxi 3069, 3081, 3082, 3087, 3103, 3632			
Modula 6621-6624			
Midi 3517, 3518, 3623, 3627			
Midi 3633, 3635			
Muna 4160-4210			
Oriental 6115			
Orlando 6017			
Parana 5533, 5544, 5545, 5564-5567, 5572			
Philippe Starck 6020, 6136			
Philippe Starck 6351, 6350			
Putman 6655			
Regatta 6454, 6455, 6456, 6457, 6460, 6461, 6462, 6455			
Samar			
Scelta 3670, 3671, 3676-3678			
Scelta, 3672-3675, 3679			
Sensa Mare 3680, 3681			
Sensa Mare 6499			
Single Bath 3686-3688			
Tacna 5539, 5574, 6466			
Thasos 6435, 6447, 6531, 6627			
Topeka 5547, 5570, 5575			
Waikiki 6011			
Zero 6531, 6627			
* = use only Multiplex			
Ideal Standard:			
Connect AIR			
Connect AIR			
Connect Playa T 9623-37			
Dea K6695, K6631			
Hotline K 2745 - K 2763			
Hotline K 2766 - K2768, K 2771 - K 2774, K 2779 - K2781, K 2783, K 2784			
Hotline K 2764, K 2765, K 2769, K 2770, K 2775, K 2776, K 2782			
Hotline Plus K 6238 - K 6247, K 6535, K 6536, K 6602, K 6611, K 6618, K 6623, K 6801, K 6802			
Hotline Plus K 6252 - K 6263, K 6265, K 6268 - K 6273, K 6278 - K 6281			
Hotline Plus K 6248 - K 6251, K 6264 - K 6281			
Strada K 2605-2611			
Tonic K 5029, K 6015, K 6702-6715			
Ultra Flat			
Kaldewei:			
Arondo 870-881			
Bassino 144			
Cayono Duo			
Cayon / Cayon STAR			
Cayono Plan			
Classic Duo/Oval, 103, 105, 107, 109-115			
Cornezza 670-681			
Duo Pool 150			
Duschplan			
Dyna Duo 610, 611			
Dyna Set/Dyna Set Star 620/621, 622/623, 624/625, 626/627			
Dyna/Dyna Star 393, 394, 630, 631			
Fontana 564, 565, 567, 568, 569, 583, 586, 587, 594, 2568, 2586			
Fontana 584, 585, 589			
Kusatsu Pool 177			
Mega family 180, 182, 184, 184-7			
Mini/Mini Star 830-837			
Novola family 252-254, 256, 260, 261, 262			
Plaza Duo 190, 192			
Punta Duo 910			
Puroset Wide			
Puro 652, 653, 693, 687, 691			
Puro 656, 657, 684, 688, 692			
Rondo family 700, 701, 706-711, 716-719			
Sanidusch 495, 496, 558, 559			
Sanidusch 395-397, 539-541, 548-552			
Saniform family 245, 246, 330-338, 344, 345, 360-1-363-1, 366-1, 367-1, 371-1-373-1, 375-1, 374, 362-1 V1, 332 V1, 362-1 V2, 332 V2, 362-1 V3, 332 V3, 362-1 V4, 332 V2			
Scona			
Sanilux/Sanilux Star 342, 343			
Studio/Studio Star 826, 827, 828, 829			
Superplan			
Twin Pool 660			
Vaio family 944-947, 950-961			
Zirkon 501, 502, 600-606, 503-506			
Zirkon 507-514			
Koralle:			
T 700			
T 700, T 900			
T 300			
T 300			
T 200			
T 200			
T 400			
Laufen:			
ILBAGNOALESSI ONE 241970, 242970, 243970			
Indura 215071-215076			
LAUFEN PRO 232950, 232951			
LAUFEN PRO 233950, 233951, 230950, 230951, 231950, 231951			
PALOMBA COLLECTION 231800, 232800, 232801, 233800, 233801, 242800, 242801, 243800, 243801, 242970, 243970			
Paladium 225100, 225102, 22511			
Platina 215011, 215012, 215013			
Platina 215021, 215022, 215023			
Thalium			
Polypex:			
Aurora			
Aurora			
Bahamas			
Beach			
Callas			
Camà			
Diamana			
Easy			
Ego			
Ego			
Er-Sie-Es			
E-Serie			
Family			
F 80, 90, 100, 120			
Gala			
Grande			
Happy			
Kreta Nova			
Kamea			
K-Serie (K 1100-K 1900)			
Lagune			
Lotus			
Luna			
Malibu			
Maona			
Maona			
Mare			
Milano			
Napoli			
Objekt			
Objekt			
Plus			
Plano			
Quattro			
Rondo			
Siena			
Velden			
Venedig			
Vielo			
Roca:			
Belice			
BeCool 1800/1900x1100x420			
BeCool			
Cotessa			
Continental			
Duo Plus			
Easy			
Easy			
Element			
Genova N			
Haiti			
Hall			
Italia			
Lun			
Malibu			
Malta			
Neo Daiquiri			
Princes			
Sureste N			
Swing			
Tampa			
Vythos			
Villeroy & Boch:			
Architettura			
Aqualoop UBA175AQU9V			
Aveo UBQ194AVE7V			
Avento			
Cetus (all models)			
Futurion D (all models)			
La Belle UBQ180LAB2V			
Legato			
Libra UBQ167/170/180LIB2V			
Lifetime (all models)			

Loop&Friends (all models)	B
Luxxus UBQ145LUX3LHV/SV/UV	B
My Art UBQ170MYA2V	A
My Art UBQ180MYA2V	B
My Nature UBA190NAT7V	B
Nexus UBQ180NEO7V	B
Oberon UBQ 160/170/177/180	
OBE2V	B
O.novo B (all models)	A
O.novo D (all models)	F
Pavia UBQ160PAV2V	B
Rebana (all models)	B
Squaro (all models)	B
Subway B (all models)	B
Subway D (all models)	F

The data of the instructions for use are taken from the product informations of the manufacturers.
For the completeness, correctness and changes we cannot take over guarantee.